



## SMARTWALL



## GTEK™ Smartwall

The smarter choice for your premium interior wall finish



Environmental



Faster



Locally made



Smoother



Smarter



Defined corners



## Premium plasterboard wall finish from GTEK™

- Applied to double brick construction, drywall lining is used instead of traditional plaster.
- GTEK™ Smartwall creates smooth internal walls with a fast and efficient installation process, giving an easy to maintain finish that is resistant to settling and cornice cracking.



## Environmentally friendly

- GTEK™ Smartwall is a smarter choice for the environmentally conscious. The installation of GTEK™ Smartwall is a clean process which means very little waste on site.
- There are fewer empty bags and no sand and cement waste left on site to be taken to landfill so GTEK™ Smartwall is kinder to our environment.
- GTEK™ Smartwall uses up to 15% recycled gypsum in our boards and we use 100% recycled paper lining on the front and back.
- GTEK™ Smartwall has been certified by GECA, which means that the products and their manufacturing environment have been evaluated and deemed to comply with the strict guidelines set by GECA.





## Locally made in WA

- GTEK™ Smartwall is proudly manufactured locally in Perth contributing to the WA economy by employing WA people. It also means that product is always readily available.



## Smoother, premium wall finish

- GTEK™ Smartwall provides a significantly smoother wall finish and a more comfortable room environment.
- GTEK™ Smartwall can be painted immediately by the builder or homeowner after installation. No need to wait until the plaster dries out.



## Easier to maintain and repair

- GTEK™ Smartwall is easy to repair if damaged and will result in less wall and cornice cracking than traditional plaster.



## More defined corners

- GTEK™ Smartwall produces cleaner, more defined corners.






## How is GTEK™ Smartwall installed?

GTEK™ Smartwall is installed using drywall lining rather than traditional plaster. It arrives on site as full sheets and is measured and cut to size on site as required.


There is a specific water-resistant board designed for use in wet areas of the home such as bathrooms and laundries to withstand moisture and humidity.



The bricks are cleaned before installation of the GTEK™ Smartwall. Masonry Adhesive is then applied directly to the wall at specific spacings.



The GTEK™ Smartwall boards are then installed. Window and door openings are cut around as required.



Joints and corners are then flushed and finished which includes a final sanding coat ensuring a clean and smooth finish to the GTEK™ Smartwall.



The finished GTEK™ Smartwall can then be painted immediately after installation.

## GTEK™ Smartwall The smarter choice for internal walls

For more information on GTEK™ Smartwall, visit [gtekplasterboard.com.au/smartwall](http://gtekplasterboard.com.au/smartwall) or call 08 9374 2900.